

**APPENDIX A  
(UNAMENDED CLAIMS)**

- 3) The method of claim 2 wherein the circuitry is located in the portable utilization device.
- 4) The method of claim 2 wherein the circuitry comprises at least one ROM.
- 5) The method of claim 2 wherein the circuitry comprises battery charge circuitry.
- 6) The method of claim 2 wherein the circuitry comprises battery deep discharge circuitry.
- 8) The method of claim 7 wherein at least a portion of the portable utilization device operates using a standby voltage lower than a normal operating voltage.
- 9) The method of claim 7 wherein run speed is reduced.
- 10) The method of claim 7 wherein at least one function is turned off when not needed.
- 11) The method of claim 10 wherein a processor clock is stopped.
- 12) The method of claim 7 wherein a processor is powered down.
- 13) The method of claim 7 wherein a screen backlight is shut off.
- 14) The method of claim 7 wherein power is removed from at least one peripheral device.
- 18) The method of claim 17 wherein the circuitry is located in the portable utilization device.
- 19) The method of claim 17 wherein the circuitry comprises at least one ROM.
- 20) The method of claim 17 wherein the circuitry comprises battery charge circuitry.

- 21) The method of claim 17 wherein the circuitry comprises battery deep discharge circuitry.
- 23) The method of claim 22 wherein at least a portion of the portable utilization device operates using a standby voltage lower than a normal operating voltage.
- 24) The method of claim 22 wherein run speed is reduced.
- 25) The method of claim 22 wherein at least one function is turned off when not needed.
- 26) The method of claim 25 wherein a processor clock is stopped.
- 27) The method of claim 22 wherein a processor is powered down.
- 28) The method of claim 22 wherein a screen backlight is shut off.
- 29) The method of claim 22 wherein power is removed from at least one peripheral device.
- 33) The method of claim 32 wherein the circuitry is located in the portable utilization device.
- 34) The method of claim 32 wherein the circuitry comprises at least one ROM.
- 35) The method of claim 32 wherein the circuitry comprises battery charge circuitry.
- 36) The method of claim 32 wherein the circuitry comprises battery deep discharge circuitry.
- 38) The method of claim 37 wherein at least a portion of the portable utilization device operates using a standby voltage lower than a normal operating voltage.
- 39) The method of claim 37 wherein run speed is reduced.
- 40) The method of claim 37 wherein at least one function is turned off when not needed.

- 41) The method of claim 40 wherein a processor clock is stopped.
- 42) The method of claim 37 wherein a processor is powered down.
- 43) The method of claim 37 wherein a screen backlight is shut off.
- 44) The method of claim 37 wherein power is removed from at least one peripheral device.